

API ERW Steel Pipe For Casing and Tubing ERW Steel Pipe Construction Pipe Casing pipe for sale

Price	Rs 0.00
External URL	https://www.creditsteelpipe.com/casing-and-tubing/api-erw-steel-pipe-for-casing-and-tubing.html
Keywords	erw steel pipe, casing pipe for sale, construction pipe, api erw steel pipe
Hits	149
URL	https://www.indiabusinessstoday.in/products/detail/api-erw-steel-pipe-for-casing-and-tubing-erw-steel-pipe-construction-pipe-casing-pipe-for-sale-584

API ERW Steel Pipe For Casing and Tubing ERW Steel Pipe Construction Pipe Casing pipe for sale

Certificate: API 5L PSL1 / PSL2, API 5CT, ISO 9001-2008

Out Diameter: 1/8 – 36inch (10.3-914.4mm)

Wall Thickness: 1.73-40mm

Length: Random Length, Fixed Length, SRL, DRL

Steel Grade:

API 5L :API 5L: GR B, X42, X46, X56, X60, X65, X70

ASTM A53/A106: GR A, GR B, GR CASME SA106: GR.A, GR.B, GR.CASME

SA192:

SA192ASME SA209M: T1, T1a

ASTM A335:P1, P2, P5, P9, P11, P22, P23

ASTM A333:Gr.1, Gr.3, Gr.4, Gr.6, Gr.7, Gr.8, Gr.9, Gr.10, Gr.11

Mill Test Certificate: EN 10204/3.1B

Type API ERW Steel Pipe For Casing and Tubing

Executive Standard API 5L

Materials PSL1—L245B/L290X42/L320X46/L360X52/L390X56/L415X60/L450X65/L485X70
PSL2—L245/L290/L320/L360/L390/L415/L450/L485 X42/X46/X52/X56/X60/X65/X70/X80

Size Outer Diameter Seamless:17-914mm 3/8"-36"

2-

Wall Thickness SCH10 SCH20 SCH30 STD SCH40 SCH60 XS SCH80
SCH100 SCH120 SCH140 SCH160 XXS

Single random length/Double random length

Length

14m,5.8m,6m,10m-

12m,12m or as customer's actual request

Ends	Plain end/Beveled,protected by plastic caps on both ends, cut quare,grooved,threaded andcoupling,etc.
Surface Treatment	Bare,Painting black,varnished,galvanized,anti-corrosion 3PE PP/EP/FBE coating
Technical Methods	Hot-rolled/Cold-drawn/Hot-expanded
Testing Methods	Pressure test,Flaw detection,Eddy current testing, Hydrostatic testing or Ultrasonic examination and also with chemical and physical property inspection
Packaging	Small pipes in bundles with strong steel strips,large pieces in loose Also according to customer's requests
Application	Conveying oil gas and water
Certificates	API ISO
MOQ	10 tons
Supply Capacity	5000 T/M
Delivery Time	Usually within 25-35 days after receipt of advance payment

Process: [Seamless Steel Pipe](#) (SMLS STEEL PIPE)

Standard: API 5L, API 5CT, ASTM A106/A53, ASTM A519, JIS G 3441, JIS G3444,

JIS G3445 DIN 2391, EN10305, EN10210, ASME SA106, SA192, SA210, SA213, SA335, DIN17175, ASTM A179...

Certificate: API 5L PSL1 / PSL2, API 5CT, ISO 9001-2008

Out Diameter: 1/8 – 36inch (10.3-914.4mm)

Wall Thickness: 1.73-40mm

Length: Random Length, Fixed Length, SRL, DRL

Steel Grade:

API 5L :API 5L: GR B, X42, X46, X56, X60, X65, X70

ASTM A53/A106: GR A, GR B, GR CASME SA106: GR.A, GR.B, GR.CASME

SA192:

SA192ASME SA209M: T1, T1a

ASTM A335:P1, P2, P5, P9, P11, P22, P23

ASTM A333:Gr.1, Gr.3, Gr.4, Gr.6, Gr.7, Gr.8, Gr.9, Gr.10, Gr.11

Mill Test Certificate: EN 10204/3.1B

We are a custom oil line pipe, custom length fire pipe, casing pipe factory in China. Our company located in Tianjin city and Hebei province, boasts its more than 500 staffs; professional technicians more than 100 people.

For more information about Galvanized Steel Pipe, please click [here](#) to visit our website.

<https://www.creditsteelpipe.com/>

SUPPLIER

Tianjin Credit Import and Export Trading Co., Ltd

Address North 604, Block C6, Times City, Nankai District, Tianjin, China

Contact Person Luo Xin

Mobile Number 8601012456897

Email lx@credit1995.com

For more details, please visit <https://www.indiabusinessstoday.in/detail/tianjin-credit-import-and-export-trading-co-ltd-a-thirumuruganpoondi-554649>
