

## Vcycletech Ethylene Diamine Tetra (Methylene Phosphonic Acid) Sodium (EDTMPs)

**Keywords** cathodic corrosion inhibitor

**Hits** 125

**URL** <https://www.vcycletech.com/product-ethylene-diamine-tetra.html>

### Vcycletech Ethylene Diamine Tetra (Methylene Phosphonic Acid) Sodium (EDTMPs)

CAS No. 1429-50-1

Molecular Formula: C<sub>6</sub>H<sub>12</sub>O<sub>12</sub>N<sub>2</sub>P<sub>4</sub>Na<sub>8</sub>

Molecular weight: 612.13

#### Vcycletech Corrosion Inhibitor Properties:

EDTMPs is nitrogenous organic polyphosphonic acid, a part of cathodic corrosion inhibitor. Its corrosion inhibition is 3~5 times better than that of inorganic polyphosphate. It can be fully dissolved in water, innocuous and none pollution to environment, has good chemical stability and thermal tolerance. It shows excellent scale inhibition ability under temperature 200°C. It can dissociate into 8 positive-negative ions, thus can chelate with many metal ions to form polymer reticulation complex, to destroy the normal crystallization of calcium scale. EDTMPs shows better antiscaling effects to calcium sulfate and barium sulfate.

#### Specification:

items	index
Appearance	Clear yellow to amber transparent liquid
Active component (EDTMPs)%	28.0min
Organic phosphonic acid (asPO <sub>4</sub> <sup>3-</sup> )%	10.0min
Phosphorous acid (as PO <sub>3</sub> <sup>3-</sup> )%	5.0max
Phosphoric acid (asPO <sub>4</sub> <sup>3-</sup> )%	1.0max
pH (1% water solution)	9.5-10.5
Density (20°C) g/cm <sup>3</sup>	1.25min

Chloride (Cl-) % 3.0max

#### Usage:

EDTMPs can be used as corrosion inhibitor in circulating cool water system and boiler water. [Vcycletech Ethylene Diamine Tetra](#) is a chelating agent in non-cyanogen electroplating industry and a water-softening agent in printing & dyeing industry. When used alone, 2~10mg / L is preferred. When built with HPMA by ratio ETDMP: HPMA=1:3, it can be used for low pressure boiler. It can also be built with BTA, PAAS and zinc salt.

#### Package and Storage:

200L plastic drum, IBC(1000L), customers' requirement. Storage for ten months in shady room and dry place.

More information you can view [here](#)

#### POSTED BY

{value\_author\_name}

**Address** {value\_author\_address}

**Contact Person** {value\_primary\_contact}

**Mobile Number** {value\_author\_phone\_number}

**Email** {value\_author\_email}

For more details, please visit [https://www.indiabusinessstoday.in/FIXME\('route\\_'\)](https://www.indiabusinessstoday.in/FIXME('route_'))

---