

Z941H-16C / 25 DN 50-1000mm cast steel electric gate valve

Price Rs 0.00

External

https://www.hbysindustry.com/gost-series/dn-50-1000mm-cast-steel-electric-actuator-gate-valve.html

Keywords brass gate valve for sale, cast steel electric gate valve

Hits 105

https://www.indiabusinesstoday.in/products/detail/z941h-16c-25-dn-50-1000mm-cast-steel-electric-gate-valve-

567

Z941H-16C / 25 DN 50-1000mm cast steel electric gate valve Brass Gate Valve for sale

Material: WCB

Medium temperature: -29-425 °C

Operation mode: electric

Medium: water, steam, oil, etc.

Caliber: DN50-1000

Valve Type: Gate Valve

Connection method: flange / welding

Body material: WCB

Working pressure: 1.6-6.4Mpa

This product is suitable for all kinds of pipes that are fully open and fully closed, not for throttling.

GOST SERIES Details

Outer dimensions and connection dimensions of cast steel electric gate valves

model	Nominal diameter	Size (mı r	m)					
model	(mm)	L,	D	D1	D2	bf	z-φd	Н
	50	250	160	125	100	16-3	4 * Ф18	310
Z941H-16C	65	265	180	145	120	18-3	4 * Φ 18	373
	0.5	203	100	173	120	10-3	- Ψ10	575



80	280	195	160	135	20-3	8 * Ф18	435
100	300	215	180	155	20-3	8 * Ф18	445
125	325	245	210	185	22-3	8 * Ф18	570
150	350	280	240	210	24-3	8 * Ф23	630
200	400	335	295	265	26-3	12 * Ф23	735
250	450	405	355	320	30-3	12 * Φ25	969
300	500	460	410	375	30-4	12 * Φ25	976
350	550	520	470	435	34-4	16 * Φ25	1120
400	600	580	525	485	36-4	16 * Ф30	1452
450	650	640	585	545	40-4	20 * Ф30	1541
500	700	705	650	608	44-4	20 * Ф34	1880
600	800	840	770	718	48-5	20 * Ф36	1874
700	900	910	840	788	50-5	24 * Φ41	2083



800	1000	1020	950	898	52-5	24 * Φ41	2400
900	1100	1120	1050	998	54-5	28 * Φ41	2950
1000	1200	1255	1170	1110	56-5	28 * Φ48	3245

Material of main parts of cast steel electric gate valve

Part Name material

Body / bonnet WCB

gate WCB

Valve stem WCB / 2cr13

Stem nut Ductile iron / brass

Performance specifications of cast steel electric gate valve

model	Nominal pressure (mpa)	Test pressure (m	npa)	proper temperature Applicable medium		
moder		Strength (water)	Sealed (water)			
Z941H-16C	2 1.6	2.4	1.76	—29—425 ° C	Water, steam, oil, etc.	
Z941H-25C	2.5	3.8	2.8	—29—423 C	water, steam, on, etc.	

Tips:



- 1.Compact structure, reasonable design, good valve rigidity, smooth passage.
- 2. The use of flexible graphite packing, reliable sealing, light and flexible operation

industrial gate valve Applications:

Industrial applications: Petroleum, Chemical, Paper Making, Fertilizer, Coal Mining, Water treatment and etc.

slurry gate knife gate valve Advantages:

- 1.We have Sand or Precision casting technology, So we can as your drawing design and production.
- 2. Customers' logos are available cast on the valve body.
 - 3. All our casting with tempering procedure before Processing.
 - 4. Use the CNC lathe during whole process.
 - 5. The disc sealing surface use plasma welding machine welding.
 - 6. Every valve must be tested before delivery from the factory, only qualified ones can be shipped.
- 7. The kind valve we usually use Wooden cases to package, We also can according to specific customer's requests.

Company Advantages:

- 1.We are manufacturer Since 1992.
- 2.CE,API,ISO approved.
- 3.Fast delivery.
- 4.Low price with high quality.
- 5.Professional work Team!

We can design and produce various standard Valve. Standards such as GB, JB, US API, ANSI, British BS, German DIN, Japanese JIS, GOST, GOST series Valve are our main products.

Click here to learn more about valves.

https://www.hbysindustry.com/

SUPPLIER



{value	author	name }
--------	--------	--------

Address {value_author_address}
Contact Person {value_primary_contact}

Mobile Number {value_author_phone_number}

Email {value_author_email}

For more details, please visit https://www.indiabusinesstoday.in/FIXME('route_')